






SISTEMA DE ALARMA ALAMBRICO

PRODUCTO	IMAGEN
<p align="center">KIT BASICO 585 CON SIRENA DE 30W</p>	 <p>A collection of components for a basic alarm kit, including a large white horn speaker, a control panel with a keypad, a battery, and various sensors and wiring.</p>
<p align="center">KIT BASICO 1832 CON SIRENA DE 30W</p>	 <p>A collection of components for a basic alarm kit, including a large white horn speaker, a control panel with a keypad, a battery, and various sensors and wiring.</p>
<p align="center">TARJETA 585 DSC-4-8 ZONAS</p>	 <p>A green printed circuit board (PCB) with various electronic components, including a microcontroller, capacitors, and a connector strip.</p>
<p align="center">TARJETA 1832 DSC 8-16ZONAS</p>	 <p>A green printed circuit board (PCB) with various electronic components, including a microcontroller, capacitors, and a connector strip.</p>
<p align="center">TECLADO 1555 LED</p>	 <p>A white keypad with a numeric keypad (1-9, *, 0, #), function keys (F, A, P), and a display area on the left side.</p>

<p>TECLADO PANEL 1832</p>	
<p>SIRENA 20 W</p>	
<p>SIRENA DE 30W</p>	
<p>BATERIA DE 4 AMPERIO</p>	
<p>BATERIA DE 7 AMPERIO</p>	
<p>TRANSFORMADO DE 12V.</p>	

<p>SENSOR DE MOVIMIENTO DSC LC 104 DOBLE TECNOLOGIA ANTIMASCOTAS 15 METROS ALCANCE MAXIMO 110 GRADOS</p>	
<p>SENSOR DE MOVIMIENTO DSC LC 100 PI</p>	
<p>CONTACTO LANFORD</p>	
<p>CONTACTO INDUSTRIAL</p>	
<p>CONTACTO ADHESIVO</p>	
<p>CONTACTO TUBULARES</p>	

<p>CONTACTO DE ROTURA DE PARED</p>	
<p>CONTACTO DE ROTURA DE VIDRIO</p>	
<p>KIT INALABRICO CON UN CODE ENCRYPTOR</p>	
<p>CODE ENCRYPTOR</p>	
<p>PULSADORDE EMERGENCIA DE DOS HILOS</p>	
<p>CAJA DE SIRENA</p>	

CAJA DE CONEXIONES DSC



GSM/GPRS

